

Niezbędna sztywność tarczy na ścinanie  $S_v$  [kN] (wz.10.1a)

Profil	Rozpiętość przęsła L [m]												
	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0
BX/Z100x66/60x1.50	2767	2075	1625	1317	1097	934							
BX/Z100x67/60x2.00	3909	2971	2362	1945	1646	1425							
BX/Z100x70/62x2.50	5282	4075	3291	2754	2370	2085							
BX/Z100x71/62x3.00	6813	5341	4386	3731	3263	2916							
BX/Z150x66/60x1.50	2772	2059	1596	1279	1052	884							
BX/Z150x67/60x2.00	3839	2874	2247	1817	1510	1282							
BX/Z150x70/62x2.50	5095	3847	3037	2481	2084	1790							
BX/Z150x71/62x3.00	6408	4887	3900	3223	2739	2381							
BX/Z175x66/60x1.50	2790	2068	1599	1277	1047	877							
BX/Z175x67/60x2.00	3846	2868	2233	1797	1486	1256							
BX/Z175x70/62x2.50	5083	3817	2995	2432	2029	1730							
BX/Z175x71/62x3.00	6351	4809	3808	3122	2631	2268							
BX/Z200x66/60x1.50	2810	2079	1605	1279	1047	875							
BX/Z200x67/60x2.00	3861	2871	2229	1789	1474	1241							
BX/Z200x70/62x2.50	5088	3806	2974	2404	1996	1694							
BX/Z200x71/62x3.00	6329	4768	3754	3059	2562	2195							
BX/Z225x66/60x1.50					1048	875	742	639	558	492	438	393	356
BX/Z225x67/60x2.00					1467	1232	1053	913	803	714	641	580	529
BX/Z225x70/62x2.50					1975	1670	1438	1257	1114	998	904	825	760
BX/Z225x71/62x3.00					2518	2146	1863	1643	1469	1328	1212	1117	1037
BX/Z250x70/65x1.50					1316	1095	927	796	692	608	539	482	435
BX/Z250x71.5/65x2.00					1861	1555	1323	1142	998	882	787	709	643
BX/Z250x74.5/67.5x2.50					2466	2071	1772	1538	1353	1204	1081	980	895
BX/Z250x76.5/67.5x3.00					3186	2692	2316	2023	1791	1604	1450	1323	1217
BX/Z300x69/62x2.00					1708	1425	1210	1042	909	802	714	641	580
BX/Z300x70/62x2.50					2217	1859	1586	1373	1205	1069	957	865	788
BX/Z300x71/62x3.00					2806	2364	2028	1766	1559	1391	1254	1141	1046
BX/Z350x79/72x2.00					2435	2024	1711	1467	1274	1118	991	885	796
BX/Z350x80/72x2.50					3128	2607	2211	1902	1658	1460	1299	1165	1053
BX/Z350x81/72x3.00					3908	3268	2781	2402	2102	1859	1661	1496	1358
BX/Z400x79/72x2.00					2450	2034	1718	1472	1277	1119	990	883	794
BX/Z400x80/72x2.50					3139	2613	2212	1901	1654	1454	1291	1156	1042
BX/Z400x81/72x3.00					3912	3265	2773	2390	2086	1841	1640	1474	1335